



WALCOOM

Walcoom Corporation



FARM FENCING POSTS

www.walcoom.com
E-mail: sales@walcoom.com

"The best choice provider for plants fixing and fences fastening"



For over 20 years, Walcoom Corporation has been offering the strong and durable farm fence posts to a wide range of places. We are specialized in various fence posts producing and exporting, and we have Y post, T studded post, T and L post, vineyard post, U post and post accessories, such as post driver and post puller. Advanced production equipment, skilled workers, professional sale representatives and considerate after sale service contribute

our high quality products and long term cooperation with our customers. We believe that Walcoom will do it better and better.

Farm fence posts are made of low carbon steel or stainless steel, including Y post, T studded post, T and L post, vineyard post, U post. In addition, post driver and post puller are both convenient tools that make the steel fence post installing and uninstalling easy and fast, which are popular and necessary for farmers, ranchers or fence owners.

Compares with wooden posts, Walcoom farm fence posts have higher strength and longer service life. They are widely used for plants fixing and fences supporting in orchards, farms, gardens, grape manors and so on.

Feature of farm fence post

- High strength and stability.
- Corrosion and rust resistant.
- Various types for choice.
- Easy to install and uninstall.
- Durable and long service life.

FARM FENCING POSTS

Specification of farm fence post

- **Material:** low carbon steel, stainless steel.
- **Surface treatment:** galvanized, PVC, PE or black bitumen coated, baked enamel painted.
- **Common color:** green, gray, black, yellow, blue, other colors are available.
- **Category:** Y post, T studded post, T and L post, vineyard post, U post.
- **Accessory:** post caps, post clips, post driver, post puller.



Post driver for Y post installing



Post driver for vineyard post installing



Post puller for T studded post uninstalling




Post puller for U post uninstalling

Application of farm fence post

- Used in orchards.
- Used in farms.
- Used in gardens.
- Used in grape manors.

FARM FENCING POSTS



Y post

Y fence post, also called Y picket or star picket post, is made of low carbon steel. It features the three-pointed star shaped cross section, plain head and tapered end. And there are two types: Y post with teeth and Y post without teeth. Silver and black are the common colors. With high strength, perfect stability and easy installation, it's widely installed with various farm fences for farm and livestock fencing.



Advantage of Y post

- High strength and stability without bending.
- Withstand the high wind forced.
- Corrosion and rust resistant.
- Prevent the damage of termites.
- Easy to install and maintain.
- Durable and long service life.

Specification of Y post

- **Material:** low carbon steel.
- **Surface treatment:** galvanized, PVC coated, black bitumen coated, baked enamel painted.
- **Common color:** silver, black, other colors are available.
- **Shape:** three-pointed star shaped cross section.
- **Length:** 0.45 m, 0.6 m, 0.9 m, 1.35 m, 1.5 m, 1.65 m, 1.8 m, 2.1 m, 2.4 m.
- **Thickness:** 2–6 mm depends on your requirements.
- **Package:** 10 pieces/bundle, 50 bundles/pallet.
- **Type:** Y post with teeth, Y post without teeth.



Y post with teeth



Y post without teeth

Table 1: Specifications of Y Posts (Star-Shaped Pickets)

Item	Weight (kg/m)	Pieces/ton								
		1406	1054	703	468	421	386	351	301	263
YP-01	1.58	1406	1054	703	468	421	386	351	301	263
YP-02	1.86	1195	896	597	398	358	326	299	256	224
YP-03	1.9	1170	877	585	390	351	319	292	251	219
YP-04	2.04	1089	817	545	363	326	297	272	233	204

T studded post



T studded post with spade and studs is made of low carbon steel. It can provide higher earth grasping strength and greatly prevent the fencing wire slipping. With the features of harsh environment resistance, easy installation and long service life, T fence posts can be used in vineyards or gardens to fix grapes and other plants; they also can be installed with various fences for garden fencing, house fencing, highway fencing, especially for farm fencing.

Advantage of T studded post

- High earth grasping strength.
- Corrosion and rust resistant.
- Waterproof, harsh environment resistant.
- Easy to install and maintain.
- Durable and long service life.

Specification of Y post

- **Material:** low carbon steel.
- **Surface treatment:** hot dipped galvanized and color painted.
- **Common color:** Green, black, other colors are available.
- **Shape:** T shape with spade and studs.
- **Thickness:** 2–6 mm depends on your requirements.
- **Package:** 10 pieces/bundle, 50 bundles/pallet.

Table 2: Specifications of T Studded Post

Specification		Length of T Studded Post								
Light Weight	0.95 lbs/ft.	4'	5'	5.5'	6'	6.5'	7'	8'	-	-
Regular Weight	1.08 lbs/ft.	4'	5'	5.5'	6'	6.5'	7'	8'	9'	10'
	1.25 lbs/ft.	4'	5'	5.5'	6'	6.5'	7'	8'	9'	10'
Heavy Weight	1.33 lbs/ft.	4'	5'	5.5'	6'	6.5'	7'	8'	9'	10'

Table 3: T Studded Post Number Per Ton

Common Measurement	Length of T Studded Post					
	5'	5.5'	6'	6.5'	7'	8'
	pcs/mt	pcs/mt	pcs/mt	pcs/mt	pcs/mt	pcs/mt
0.95 lbs/ft.	464	421	386	357	331	290
1.08 lbs/ft.	408	371	340	314	291	255
1.25 lbs/ft.	352	320	293	271	251	220
1.33 lbs/ft.	331	301	276	251	236	207

T and L post

T and L post is made of high quality low carbon steel. Compared with T studded post, T and L post without studs features the consistent holes to attach various fence wire firmly. With high strength, corrosion and rust resistance, easy installation and long service life, T posts and L fence posts are widely used in gardens or farms to fix fences firmly or fix plants, such as tomatoes, grapes, trees and so on.



Advantage of T studded post

- High strength and cost effectiveness.
- Prevent the damage of termite.
- Corrosion and rust resistant.
- Anti-ultraviolet and elegant appearance.
- Easy to install and maintain.
- Durable and long service life.

Specification of T and L post

- **Material:** low carbon steel.
- **Surface treatment:** galvanized, PVC coated, black bitumen coated, baked enamel painted.
- **Common color:** dark green, black.
- **Shape:** T-shape without studs or L-shape.

FARM FENCING POSTS



Galvanized T post without studs



PVC coated L post

- **Thickness:** 2–6 mm.
- **Length:** 1 m, 1.25 m, 1.5 m, 1.75 m, 2 m, 2.25 m, 2.5 m.
- **Package:** 10 pieces/bundle, 50 bundles/pallet.

Table 4: Common Specifications of Euro T Post

Item	Size (mm)	Thickness (mm)
TP-01	30 × 30	3.0 to 3.5
TP-02	35 × 35	3.5 to 4.0
TP-03	40 × 40	3.5 to 4.5
TP-04	50 × 50	4.5 to 5.0
TP-05	60 × 60	5.0 to 6.0

Table 5: Common Specifications of Euro L Post

Item	Size (mm)	Thickness (mm)
LP-01	25 × 12	2 to 3
LP-02	25 × 25	2 to 4
LP-03	30 × 30	3 to 4

Vineyard post

Vineyard post is also called trellis post, vineyard stake, vineyard trellis stake or grape trellis. It's made of Q235 low carbon steel. Compared with traditional wooden post, steel vineyard fence post has higher strength, better fastening performance, easier installation and longer service life and widely used for supporting grape and other fruit growth in orchard, farm grape manor or agriculture plantation.



Advantage of vineyard post

- High strength.
- Corrosion and rust resistance.
- Good fastening performance.
- Easy installation and maintenance.
- Durable and long service life.

Specification of vineyard post

- **Material:** Q235 low carbon steel.
- **Surface treatment:** hot-dipped galvanized or PVC coated.
- **package:** commonly packaged in pallet or metal strip.

Table 6: Common Specifications of Vineyard Post

Item	Thickness	Cross Section Size	Length
VP-01	1.2 mm	50 mm × 30 mm	1.8 m – 2.5 m
VP-02	1.2 mm	54 mm × 30 mm	1.8 m – 2.5 m
VP-03	1.5 mm	50 mm × 30 mm	1.8 m – 2.8 m
VP-04	1.5 mm	54 mm × 30 mm	1.8 m – 2.8 m
VP-05	1.5 mm	50 mm × 40 mm	1.8 m – 2.8 m
VP-06	1.5 mm	60 mm × 40 mm	1.8 m – 2.8 m
VP-07	1.8 mm	50 mm × 30 mm	2.0 m – 2.8 m
VP-08	1.8 mm	54 mm × 30 mm	2.0 m – 2.8 m
VPS-09	1.8 mm	50 mm × 40 mm	2.0 m – 2.8 m
VP-10	1.8 mm	60 mm × 40 mm	2.0 m – 2.8 m
VP-11	2.0 mm	54 mm × 30 mm	2.0 m – 2.8 m
VPS-12	2.0 mm	50 mm × 40 mm	2.0 m – 2.8 m
VP-13	2.0 mm	60 mm × 40 mm	2.0 m – 2.8 m
VP-14	2.5 mm	50 mm × 40 mm	2.0 m – 3.0 m
VP-15	2.5 mm	60 mm × 40 mm	2.0 m – 3.0 m

U post

U post features the U-shaped cross section, which is made of low carbon steel. With the features of high strength, corrosion, rust, ultraviolet and harsh environment resistance, easy installation and long service life, U post is widely used to fix plants, such as trees, tomatoes in garden or orchard and secure agricultural fences for livestock rearing to prevent the damage caused by predator.



Advantage of U post

- High strength.
- Prevent chipping and bending.
- Corrosion and rust resistant.
- Anti ultraviolet and harsh environment.
- Durable and easy to install.

Specification of U post

- **Material:** low carbon steel.
- **Surface treatment:** galvanized, PVC coated, black bitumen coated, baked enamel painted.
- **Thickness:** 2–6 mm depends on your requirements.
- **Package:** 10 pieces/bundle, 50 bundles/pallet.
- **Length**
 - **Light duty:** 3', 4', 5', 6'.
 - **Heavy duty:** 5', 6', 7', 8', 9', 10'.

Post driver and post puller



Fence post driver and post puller are both convenient tools that make the steel fence post installing and uninstalling easy and fast. Post driver is a hollow steel tube with handles for post installation; post puller, also called post lifter, is an efficient tool for post uninstallation. Using post driver and post puller can greatly avoid the damage to the fence post and save time. With high strength and convenient operation, post driver and post puller are popular and necessary for farmers, ranchers or fence owners.

Advantage of post driver and post puller

- High strength and convenient operation.
- Eliminate vibrations, save time and labor.
- Avoid the damage to fence post top coating surface.

- Economical and practical.
- Suitable for various metal fence posts.
- Durable and long service life.

Specification of post driver and post puller

• Post Driver

- **Material:** Q235 steel.
- **Surface treatment:** galvanized or PVC coated.

• Post Puller

- **Material:** 45 steel.
- **Surface treatment:** powder coated.
- **Length:** 80 cm; **width:** 22 cm; **height:** 45 cm.
- **Max lift distance:** 15 cm.
- **Unit weight:** 6 kg.
- **Package size:** 102 cm × 45 cm × 19 cm.

Table 7: Common Specifications of Post Driver

Item	Driver Length (mm)	Tube Diameter (mm)	Tube Thickness (mm)
PDP-01	600	76	2.5
PDP-02	765	76	3.5
PDP-03	810	76	3.0
PDP-04	900	76	3.0
PDP-05	1000	76	3.5

Why our products are popular?

• Superior material

Compared with traditional timber posts, high quality steel posts are outstanding because of the durable structure and long service life. They can greatly and effectively avoid splintering, rotting, even destroyed by termites.

- **Various types**

Our company can supply various fence post products, including Y post, T studded post, T and L post, vineyard post, U post. In addition, we can also supply the fence post accessories for customers, such as post driver, post puller, post caps and post clips.

- **Incomparable surface**

With galvanized, PVC, PE or black bitumen coated, baked enamel painted surface treatment, our metal fence products are corrosion, rust resistant and free from ultraviolet rays.

- **Easy installing and uninstalling**

Except steel fence post products, we can offer customers high quality post driver and post puller. With the help of these tools, the customers can install and uninstall fence posts easily and quickly for labor and time saving.

Our services

- Free consultation service.
- Strict inspections during production and before delivery.
- After sale service.

Hot products

- Y post.
- T studded post.
- Vineyard post.
- Post driver.
- Post puller.

Information supplied by the purchaser

The following information shall be supplied by the purchaser at the time of inquiry or order:

- Type.
- Size.
- Quantity.
- Packaging.

FARM FENCING POSTS

Walcoom Corporation



Add: No. 3481, Yongxing Road, Hengshui City, Hebei Province, China.
Tel: +86-15030811699
Skype: wiremesh@live.com
E-mail: sales@walcoom.com
Web: <http://www.walcoom.com>

